


BU CS 332 – Theory of Computation

Lecture 3:

- Deterministic Finite Automata



Alexander Poremba

September 10, 2026

Last Time

- Strings: Finite concatenations of **symbols**
- Languages: Sets L of strings
- Computational (decision) problem: Given a string x , is it in the **language** L ?

Languages


Languages = computational (decision) problems

Input: String $x \in \Sigma^*$

Output: Is $x \in L$? (Yes or No? I.e., Accept or Reject?)

The language **recognized** by a program is the set of strings $x \in \Sigma^*$ that it *accepts*

Deterministic Finite Automata



A (Real-Life?) Example


- **Example:** Kitchen scale
- P = Power button (ON / OFF)
- U = Units button (cycles through g / oz / lb)



- Only works when scale is ON, but units remembered when scale is OFF
- Starts OFF in g mode
 - **A computational problem:** Does a sequence of button presses (describable as a string in $\{P, U\}^*$) leave the scale ON in oz mode?

Machine Models

- Finite Automata (FAs): Machine with a **finite amount** of **unstructured** memory



- 1) What are the different “**states**” that the control can be in?
- 2) In what state does the control **start**?
- 3) When the control **reads** a new input character, how does it **transition** to a new state?
- 4) How do I know if I’m in the desired state at the **end**?

A DFA for the Kitchen Scale Problem

P = Power button (ON / OFF) (Starts OFF in g mode)

U = Units button (cycles through g / oz / lb)

Problem: Does a sequence of button presses leave the scale ON in oz mode?

A DFA Recognizing Parity

The **language** recognized by a DFA is the set of inputs on which it ends in an “accept” state



Parity: Given a string consisting of a ’s and b ’s, does it contain an even number of a ’s?

$\Sigma = \{a, b\}$ $L = \{w \mid w \text{ contains an even number of } a\text{'s}\}$

Question: Which state is reached by the parity DFA on input $aabab$?

- a) “even”
- b) “odd”

Anatomy of a DFA



Some Tips for Thinking about DFAs


Given a DFA, what language does it recognize?

- Try experimenting with it on short strings. Do you notice any patterns?
- What kinds of inputs cause the DFA to get trapped in a state?

Given a language, construct a DFA recognizing it

- Imagine you are a machine, reading one symbol at a time, always prepared with an answer
- What is the essential information that you need to remember?
Determines set of states.

What language does this DFA recognize?



Practice!

- Lots of worked out examples in Sipser
- Automata Tutor: <https://automata-tutor.live-lab.fi.muni.cz/>

Formal Definition of a DFA

A **finite automaton** is a 5-tuple $M = (Q, \Sigma, \delta, q_0, F)$


Q is the set of states

Σ is the alphabet

$\delta: Q \times \Sigma \rightarrow Q$ is the transition function

$q_0 \in Q$ is the start state


$F \subseteq Q$ is the set of accept states



A DFA for Parity

Parity: Given a string consisting of a 's and b 's, does it contain an even number of a 's?

$\Sigma = \{a, b\}$ $L = \{w \mid w \text{ contains an even number of } a\text{'s}\}$



State set $Q =$

Alphabet $\Sigma =$

Transition function δ

δ	a	b
q_0		
q_1		

Start state q_0

Set of accept states $F =$


Formal Definition of DFA Computation

A DFA $M = (Q, \Sigma, \delta, q_0, F)$ **accepts** a string $w = w_1 w_2 \cdots w_n \in \Sigma^*$ (where each $w_i \in \Sigma$) if there exist $r_0, \dots, r_n \in Q$ such that

1. $r_0 = q_0$
2. $\delta(r_i, w_{i+1}) = r_{i+1}$ for each $i = 0, \dots, n - 1$, and
3. $r_n \in F$

$L(M)$ = the **language** of machine M
= set of all strings machine M accepts
 M **recognizes** the language $L(M)$

Example: Computing with the Parity DFA



Let $w = abba$

Does M accept w ?

What is $\delta(r_2, w_3)$?

- a) q_0
- b) q_1

A DFA $M = (Q, \Sigma, \delta, q_0, F)$ **accepts** a string

$w = w_1 w_2 \cdots w_n \in \Sigma^*$ (where each $w_i \in \Sigma$) if there exist

$r_0, \dots, r_n \in Q$ such that

1. $r_0 = q_0$
2. $\delta(r_i, w_{i+1}) = r_{i+1}$
for each $i = 0, \dots, n - 1$
3. $r_n \in F$

Regular Languages

Definition: A language is **regular** if it is recognized by a DFA

$L = \{ w \in \{a, b\}^* \mid w \text{ has an even number of } a\text{'s} \}$ is **regular**

$L = \{ w \in \{0, 1\}^* \mid w \text{ contains } 001 \}$ is **regular**

Many interesting problems are captured by regular languages


Network Protocols

Compilers

Genetic Testing

Arithmetic

Internet Transmission Control Protocol



Let $\text{TCPS} = \{ w \mid w \text{ is a complete TCP Session} \}$

Theorem: TCPS is regular

Compilers

Comments :

Are delimited by `/* */`

Cannot have nested `/* */`

Must be closed by `*/`

`*/` is illegal outside a comment

$\text{COMMENTS} = \{\text{strings over } \{0,1, /, *\} \text{ with legal comments}\}$

Theorem: COMMENTS is regular

Genetic Testing

DNA sequences are strings over the alphabet $\{A, C, G, T\}$.

A gene g is a special substring over this alphabet.

A genetic test searches a DNA sequence for a gene.

$\text{GENETICTEST}_g = \{\text{strings over } \{A, C, G, T\} \text{ containing } g \text{ as a substring}\}$

Theorem: GENETICTEST_g is regular for every gene g .

Arithmetic

$$\text{LET } \Sigma = \left\{ \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \\ 1 \end{bmatrix}, \right. \\ \left. \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}, \begin{bmatrix} 1 \\ 1 \\ 0 \end{bmatrix}, \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix} \right\}$$

- A string over Σ has three ROWS ($\text{ROW}_1, \text{ROW}_2, \text{ROW}_3$)
- Each ROW $b_0 b_1 b_2 \dots b_N$ represents the integer
$$b_0 + 2b_1 + \dots + 2^N b_N.$$
- Let $\text{ADD} = \{S \in \Sigma^* \mid \text{ROW}_1 + \text{ROW}_2 = \text{ROW}_3\}$

Theorem. ADD is regular.



Nondeterministic Finite Automata


Nondeterminism

In a DFA, the machine is always in **exactly one state** upon reading each input symbol

In a **nondeterministic** FA, the machine can “try out” many different ways of reading the same string


- Next symbol may cause an NFA to “branch” into multiple possible computations
- Next symbol may cause NFA’s computation to fail to enter any state at all

Nondeterminism




A **Nondeterministic Finite Automaton** (NFA) accepts if there **exists** a way to make it reach an accept state.

Nondeterminism



Example: Does this NFA accept the string 1100?

Nondeterminism



Example: Does this NFA accept the string 11?

Some special transitions

